

INTEGRATED & POWER AMPLIFIER ► SCORPIO SERIES

SCORPIO



Integrated amplifier; PP

2x45W or 2x30W Triode –switchable, 3x12AU7, 0dB NFB, 4 x Line-In, Auto-Fixed-Bias system & Tube test program;

Power Tubes: **4 x Ayon KT88** (standard)

€ 2.995,--

Remote Control - Option:

€ + 100,--

SCORPIO « Mono »



Mono-Power amplifier; PP

1 x 45W Pentode or 1x30W Triode –switchable, 1x 12AU7, 1x 12AX7, 1x RCA/I, Auto-Fixed-Bias system

Power Tubes: **4 x Ayon KT88** (standard)

€ 3.995,--

NEW
pair

INTEGRATED & POWER AMPLIFIER ► KT150 SERIES

SPIRIT III



Integrated or Power amplifier; PP

2x65W Pentode or 2x40W Triode -switchable, 2x12AU7, 4x 6SJ7, 0dB NFB, 3 x Line In-RCA, 1 x Line In-XLR, 1xDirect In, 1 x Pre out, RC; Volume Control: MCU based with analog resistor switching circuit. Auto-Fixed-Bias system & Tube test program; Power Tubes: **4 x KT150 Tung-sol** (standard)

€ 5.495,--

SPIRIT PA « Stereo - Amp »



Power amplifier; PP

Differential fully balanced gain-stage design; 2x70W Pentode, 2x45W Triode -switchable, 2 x 12AU7, 2 x 12AX7, 4 x 6SJ7, 0dB NFB, 1 x In-RCA, 1 x In-XLR, Auto-Fixed-Bias system & Tube test program; Power Tubes: **4 x KT150 Tung-sol** (standard)

€ 5.495,--

TRITON III



Integrated or Power amplifier; PPP

2x120W Pentode, 2 x 70W Triode -switchable, 2 x 12AU7, 4 x 6SJ7, 0dB NFB, RC, 3 x Line In-RCA, 1 x Line In-XLR, 1x Direct In, 1x Pre out; Volume Control: MCU based with analog resistor switching circuit. Auto-Fixed-Bias system & Tube test program; Power Tubes: **8 x KT150 Tung-sol** (standard)

€ 9.995,--

TRITON PA « Stereo - Amp »



Power amplifier; PPP
 Differential fully balanced gain-stage design; 2x120W Pentode, 2x70W Triode -switchable, 2 x 12AU7, 2 x 12AX7, 4 x 6SJ7, 0dB NFB, 1 x In-RCA, 1 x In-XLR, Auto-Fixed-Bias system & Tube test program; Power Tubes: **8 x KT150** Tung-sol (standard)

€ 9.995,--

EPSILON « Mono »



Mono-Power amplifier; PPP
 1 x 180W Pentode or 1x100W Triode -switchable, 2x 6SJ7, 1x 12AU7, 1 x 12AX7, 0dB NFB, 1x Bal/I, 1x RCA/I, Auto-Fixed-Bias system & Tube test program;
Power Tubes: **12 x KT150** Tung-sol (standard)

€ 16.495,--

pair

ORTHOS XS « Mono »



Mono-Power amplifier; PPP
 Differential fully balanced gain-stage design; 1 x 280W Pentode or 1 x 170W Triode -switchable, 2x 6SJ7, 1x 12AU7, 1 x 12AX7, 0dB NFB, 1x Bal/I, 1x RCA/I, Auto-Fixed-Bias system & Tube test program;
Power Tubes: **20 x KT150** Tung-sol (standard)

€ 24.995,--

pair

SET – INTEGRATED AMPLIFIER ► 6C33 SERIES

SPARK III



Integrated or Power amplifier; SET
 2x20W, 2x6C33, 2x 12AU7, 2x6H30, 0dB NFB, 3 x Line In-RCA, 1 x Line In-XLR, 1 x Pre out, RC, Auto-Fixed-Bias system & Tube test program;

€ 4.995,--

SET - INTEGRATED & POWER AMPLIFIER ► AA62B-82B SERIES

SPITFIRE



Integrated or Power amplifier; SET
 2x30W, **2xAA62B** 2x 6H30, 2x 12AU7, 3 x Line In-RCA, 1 x Line In-XLR, 1x Direct In, 1x Pre Out, RC, DHT, 0dB NFB; Volume Control: MCU based with analog resistor switching circuit. Auto-Fixed-Bias system & Tube test program;





€ 8.750,--

CROSSFIRE III




Integrated or Power amplifier; SET
 2x30W, **2xAA62B**, 2x 6H30, 4 x 6SJ7, 1 x 5U4G, 3 x Line In-RCA, 1 x Line In-XLR, 1xDirect In, 1x Pre Out, RC, DHT, 0dB NFB; Volume Control: MCU based with analog resistor switching circuit. Auto-Fixed-Bias system & Tube test program;

€ 11.995,--

CROSSFIRE PA « Stereo - Amp »		
	Power amplifier; SET 2x30W, 2xAA62B , 2x 6H30, 4 x 6SJ7, 1 x 5U4G, 1x In-RCA, DHT, 0dB NFB, Auto-Fixed-Bias system & Tube test program;	€ 11.995,--
CROSSFIRE EVO « Mono »		
	Mono-Power amplifier; SE 1x 30W or 35W*, 1x AA62B , 1 x AA20B , 2 x 6SJ7, 1x Ayon 5U4GMesh , 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB, Auto-Fixed-Bias system & Tube test program;	€ 22.500,-- pair
CROSSFIRE EVO	with AA82B*	Option + € 2.500,--
VULCAN EVO « Mono »		
	Mono-Power amplifier; PSET 1x 55W or 60W*, 2x AA62B , 1 x AA20B , 2 x 6SJ7, 1x Ayon 5U4GMesh , 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB, Auto-Fixed-Bias system & Tube test program;	€ 30.000,-- pair
Vulcan EVO	with AA82B*	Option + € 5.000,--
TITAN EVO « Mono »		
	Mono-Power amplifier; PSET 1x 75W or 85W*, 3x AA62B , 1x AA20B , 2x 6SJ7, 1x Ayon 5U4GMesh , 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB, Auto-Fixed-Bias system & Tube test program;	€ 57.000,-- pair
Titan EVO	with AA82B*	Option + € 8.000,--

SET - HEADPHONE AMPLIFIER

HA-3		
	“State of the Art ” , Dual Chassis design; SE-Triode design with 2 x AA45 Mesh and Output transformer based, Special Volume Control system; 2 x 12AU7; 1 x IN/RCA, External - Separated Power Supply & Choke regulated;	€ 3.495,-- Sold out until September 2016 NEW

PREAMPLIFIER

SPHERIS III - Linestage



“State of the art” Linestage, Dual chassis design;
4 x C3M 4 x EY91, Separate External Tube Power Supply with **AC~ Regenerator**; 4xLine RCA/I , 1x Bal/ I, 1xBal/O, 2x RCA/O, RC, 4 channel VTC Volume control / 42 position - electronic-relay system;

€ 33.000,--

POLARIS III



“State of the art” Preamp, Dual chassis design;
5x Line In / RCA, 1x Phono MC, 2x RCA/O, 1x Bal/O, External **AC ~ Regenerator** - Tube Power Supply & Choke regulated, 4 x C3M, 2 x 6H30, 4 x EY91, RC, 2 channel VTC Volume control / 42 position - electronic-relay system ;

€ 23.500,--

POLARIS III - Linestage

Without Phonostage MM/MC

€ 20.000,--

Fully Balanced version

For Linestage only, 1 x fully balanced input

OPTION

+ € 3.000,--

AURIS



“Reference” Preamp-**Balanced** , **Modular & upgradable design**; 4 x 6H30 PSE output stage, 4x Line In/RCA, 1 x HT/In, 2x BAL/In - XLR, 2x RCA/O, 1 x Tape Out, 1x Bal/O, 4 x 6Z4, Tube Power supply & Choke regulated, RC;

€ 10.000,--

“Reference” Preamp-**Unbalanced** , **Modular & upgradable design**; 2 x 6H30 SE output stage, 4x Line In/RCA, 1 x HT/In, 2x RCA/O, 1 x Tape Out, 4 x 6Z4, Tube Power supply & Choke regulated, RC;

€ 6.500,--

Signature - Balanced

Top grade components

OPTION

+ € 1.800,--

Signature - Unbalanced

Top grade components

OPTION

+ € 900,--

PHONO module

MM/MC

OPTION

+ € 1.150,--

PHONOSTAGE

SPHERIS - Phono



“State of the art” , Dual Chassis design;
2 x MC (MC1 & MC2), 1 x Out/RCA, 1x Bal/Out, 3 x 6H30, 2 x 6SL7, 4 x EY91; External **AC ~ Regenerator** - Tube Power Supply & Choke regulated;

€ 28.000,--

CD-PLAYER

CD-07s



CD-Player, Top Loader
 2x 5687 tube output stage, RCA/O & Bal/O, 24/192kHz up-sampling, Volume output control, RC;
Digital/In: SPDIF, USB-24/192 ;
Digital/Out: SPDIF;

€ 2.795,--

CD-1sx



CD-Player, Top Loader
 2x 6H30 SE tube output stage, 1 x 6Z4 rectifier, RCA/O & Bal/O, 24/192kHz up-sampling, Volume output control, RC;
PCM - Digital /IN: USB-24/192kHz, SPDIF, TosLink;
DSD - Digital /IN: USB -DSD;
Digital/Out: SPDIF;

€ 3.995,--

CD-35



SACD / CD-Player, Top Loader
 2 x 6H30 & 2 x 5687 SE tube output stage, RCA/O & Bal/O, Electric-Analog-Switch Volume output control system, 2 power transformer, Choke, 1 x GZ30Tube rectification, RC;
 2 x Line input – RCA, 1x Balanced input - XLR;
PCM-Digital/In: USB-24/192kHz, SPDIF, I2S, AES/EBU, BNC;
DSD - Digital /IN: USB -DSD; 3 x BNC for DSD (DSD-L, DSD-R & WCK);

€ 7.495,--

NEW

With analog Preamplifier

Quad electrical-analog volume control system with 3 pair analog line Inputs;
OPTION

+ € 495,--

Signature

PCM-DSD converter for all PCM signals (DAC, USB and Streamer) Mundorf Gold/Silver capacitors;
OPTION

+ € 1.350,--

DIGITAL / ANALOG - CONVERTER (DAC)

SIGMA



D/A -Converter

2 x 6H30 SE tube output stage, 1 x 6Z4 tube rectifier, RCA/O & Bal/O, 24/192kHz up-sampling, Volume output control, RC;
PCM - Digital /IN: USB-24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink,
DSD - Digital /IN: USB -DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);

€ 3.995,--

STEALTH



D/A -Converter

4 x 6H30 PSE tube output stage, 4 x 6Z4 tube rectifier, RCA/O & Bal/O, 2 x Line /IN, 1 x Tape out, 24/192kHz up-sampling, Electric-Analog-Switch Volume output control, RC;
PCM - Digital /IN: USB-24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink,
DSD - Digital /IN: USB -DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);

€ 6.995,--

STRATOS




D/A -Converter

4 x 6H30 PSE tube output stage, 4 x 6Z4 tube rectifier, RCA/O & Bal/O, 3 x Line /IN, 1 x Tape out, 24/192kHz up-sampling, Dual Electric-Analog-Switch Volume output control, RC;
PCM - Digital /IN: USB-24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink,
DSD - Digital /IN: USB -DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);


€ 9.995,--

NETWORK PLAYER ▶ PCM SERIES

S-3 « Junior »


	<p>Network Player, Single Chassis design; 2 x 6922 tube output stage, 2x 6Z4 tube rectifier, Choke, RCA/O & Bal/O, 2 x Line /IN-RCA, 1 x Line /OUT, 24/192kHz up-sampling, Electric-Analog-switch Volume output control system, RC; <u>Digital/IN</u>: BNC, SPDIF, AES/EBU, TosLink, I2S, 2x USB-Type “A”; <u>Digital/Out</u>: SPDIF; Ethernet-LAN & WiFi</p>	<p>€ 3.995,--</p>
---	--	-------------------

S-5

	<p>Network Player, Dual chassis design; 4 x 6H30 PSE tube output stage, 4x 6Z4 tube rectifier, Dual Choke, 3 x Power transformer, RCA/O & Bal/O, 2 x Line /IN- RCA, 1 x Line /OUT, 24/192kHz up-sampling, ADC In/RCA - 24/192; Dual Electric-Analog-switch Volume output control system, RC; <u>Digital/IN</u>: BNC, SPDIF, AES/EBU, TosLink, I2S, 2x USB-Type “A”; <u>Digital/Out</u>: SPDIF; Ethernet-LAN & WiFi</p>	<p>€ 14.695,--</p>
---	--	--------------------


NETWORK PLAYER ▶ PCM & DSD SERIES

S-10

	<p>Network Player, Single Chassis and Modular design; 2 x 6H30 tube output stage, RCA/O & Bal/O, RC; Streamer: All PCM and DSD formats, TIDAL, 2x USB-Type “A”; <u>Digital/IN</u>: SPDIF, TosLink, USB 24-192 & DSD, USB-Type “B”; <u>Digital/OUT</u>: SPDIF; Ethernet-LAN & WiFi <u>Analog/IN</u>: Line 1/RCA & Line 2/RCA (optional – PRE version)</p>	<p>€ 5.495,-- NEW</p>
<p>With analog Preamplifier</p>	<p>Quad electrical-analog volume control system with 2 pair analog line Inputs; OPTION</p>	<p>+ € 495,--</p>
<p>Signature</p>	<p>PCM-DSD converter for all PCM signals (DAC, USB and Streamer) Mundorf Gold/Silver capacitors; OPTION</p>	<p>+ € 1.495,--</p>

NETWORK – TRANSPORT ▶ PCM & DSD SERIES

NW-T / DSD


	<p>Network Transport 6H14 tube buffer for digital output (SPDIF & AES/EBU), 1x 6Z4 tube rectifier, Volume output control system, RC; <u>Digital/IN</u>: 2x USB-Type “A”; Ethernet-LAN & WiFi <u>PCM - Digital/Out</u>: SPDIF, BNC, AES/EBU, I2S, TosLink, <u>DSD Digital/Out</u> : I2S/DoP, 3 x BNC (DSD-L, DSD-R & WCK);</p>	<p>€ 4.295,--</p>
---	--	-------------------

NW-T / DSD Upgrade KIT


<p>DSD Upgrade Kit for existing NW-T's</p>	<ul style="list-style-type: none"> ➤ New rear panel including all DSD outputs, ➤ New DSD main-board and MCU, ➤ Add I2S/DoP board, ➤ New DSD Firmware, 	<p>€ 995,--</p>
--	---	-----------------

CABLES ► PEARL SERIES

PEARL « RCA/XLR »

	INTERCONNECT – RCA or XLR, 1.0m	€ 2.990,--
	INTERCONNECT – RCA or XLR, 1.5m	€ 3.490,--
	INTERCONNECT – RCA or XLR, 2.0m	€ 3.990,--
	INTERCONNECT – RCA or XLR, 2.5m	€ 4.490,--
	INTERCONNECT – RCA or XLR, 3.0m	€ 4.990,--
		NEW

PEARL

	LOUDSPEAKER – Spades or Banana plugs, 1.5m	€ 3.990,--
	LOUDSPEAKER – Spades or Banana plugs, 2.0m	€ 4.490,--
	LOUDSPEAKER – Spades or Banana plugs, 2.5m	€ 5.250,--
	LOUDSPEAKER – Spades or Banana plugs, 3.0m	€ 5.990,--
		NEW

PEARL

	LAN – 1.5m	€ 1.500,--
	LAN – 2.0m	€ 1.800,--
	LAN – 3.0m	€ 2.250,--
	LAN – 4.0m	€ 2.700,--
		NEW

AYON DRIVER – RECTIFIER – SET POWER TUBES

Ayon 5U4G-Mesh	Rectifier tube	€ 300,--
Ayon AA20B	Driver tube, matched	€ 320,--
Ayon AA45-Mesh	3W Triode output power tube, matched	€ 300,--
Ayon AA32B-S	20W Triode output power (SE connection), matched	€ 400,--
Ayon AA52B-S	25W Triode output power (SE connection), matched	€ 595,--
Ayon AA62B	30W Triode output power (SE connection), matched	€ 750,--
Ayon AA82B	35W Triode output power (SE connection), matched	€ 950,--
Some add Spare Tubes for Ayon Equipment		
KT88 with Ayon logo	Power tube, matched	NEW € 65,--
6SJ7	Signal tube, special matched for Ayon amplifiers	€ 30,--
6C4P (instead 6Z4)	Rectifier tube, for Ayon digital equipment	€ 15,--
6C33	Power tube, special matched for Spark, Helios, Spark Delta	€ 60,--


DHT = Direct Heated Triode, SE = Single-Ended, SET = Single-Ended Triode, PSET = Parallel Single-Ended Triode, PP = Push-Pull, PPP = Parallel Push-Pull;

SPECIAL - ACRYLIC TUBE CAGES – Option





Scorpio		Option: € + 140,--
Scorpio Mono	Monoblock	Option: pair € + 280,--
Spirit III & PA, Triton III & PA		Option: € + 160,--
Epsilon & Orthos XS	Monoblock	Option: pair € + 320,--
Spitfire, Crossfire III & PA		Option: € + 240,--
Crossfire Evo, Vulcan Evo, Titan Evo	Monoblock	Option: pair € + 480,--

LOW FREQUENCY - AMPLIFIER

ALPHA

	<p>LF- Stereo Power amplifier with DSP & Class D, 2 x 250W /8 Ω;</p> <p><i>The Alpha DSP crossover function can be also bypassed for all conventional passive loudspeakers with Bi-Wire binding posts. (custom-made)</i></p>	<p>€ 5.795,--</p>
---	---	--------------------------

LOUDSPEAKER

BLACK EYE		
	<p>2-way, 95dB, 8 Ohm, 1 x 12" Bass, 1 x Ribbon HT, Bassreflex / Airflow Damping System (ADS) combination; Elliptic cabinet design, WBT Single-Wire binding post; Cabinet material: Resonance optimized instrument plywood;</p> <p>Cabinet finish: French nut – satin or White HG lacquer;</p>	<p>€ 9.495,--</p> <p>pair</p>
BLACK ARROW-S		
	<p>4-way, 90dB (91dB - average value), 8 Ohm, 1 x 10" Bass, 1 x 5.5" MD 1 x AMT HT, 1 x Air Motion Super HT; Elliptic cabinet design with Airflow Damping System (ADS), WBT Single-Wire binding post; Cabinet material: Resonance optimized instrument plywood;</p> <p>Cabinet finish: French nut-HG, Tineo-HG, Etimo-HG; White HG lacquer finish on request!</p>	<p>€ 13.995,--</p> <p>pair</p>
BLACK HAWK-S		
	<p>4-way, 90dB (92dB - average value), 8 Ohm, 1 x 12" Bass, 1 x 5.5" MD, 1 x Air Motion HT, 1 x Air Motion Super HT; Elliptic cabinet design with Airflow Damping System (ADS), WBT Bi-Wire binding post; Cabinet material: Resonance optimized instrument plywood;</p> <p>Cabinet finish: French nut-HG, Tineo-HG, Ebony-HG, Wild Walnut-HG; White HG lacquer finish on request!</p>	<p>€ 19.995,--</p> <p>pair</p>
BLACK FIRE		
	<p>4-way, 91dB, 8 Ohm, 1 x 12" Bass, 1 x 7" MD, 1 x Air Motion HT, 1 x AMT Super HT, WBT Bi-Wire binding post, Elliptic cabinet design with Airflow Damping System (ADS), Cabinet material: Resonance optimized instrument plywood;</p> <p>Cabinet finish: French nut-HG, Tineo-HG or Wild Walnut – HG;</p>	<p>€ 39.995,--</p> <p>pair</p>

ADS = Airflow Damping System, HG = High gloss lacquer, LF = Low frequency, MD = Midrange, HT = High tone



Ayon® is a registered Trademark, all rights reserved incl. changes in price and specifications. Payment strictly in advance. All export prices are ex works. Place of Jurisdiction is Graz, Austria. This price sheet replaces all previous price sheets.

